

marelli

SETA


LIVING COLOUR PALETTE

marelli

COLOUR PALETTE




LATTE
SETA



BURRO
SETA



BISCOTTO
SETA



CAMELLO
SETA



BRANDY
SETA




RUBINO
SETA




CRETA
SETA




TORTORA
SETA



GRIGIO
SETA




TALPA
SETA




PIOMBO
SETA




MILITARE
SETA



BALTICO
SETA



PILOTE
SETA



MIDNIGHT
SETA



EBANO
SETA



BLACK
SETA

ART. SETA CAT. LUSSO LEATHER

Chrome tanned bovine raw hides - Aniline - Full grain - Through-dyeing aniline
Thickness 1.3 - 1.5 mm

PROPERTY	TEST METHOD	PERFORMANCE
COLOR FASTNESS		
Dry rub fastness - 50 cycles:	UNI EN ISO 11640	≥3 Grey Scale
Wet rub fastness - 20 cycles:	UNI EN ISO 11640	≥2/3 Grey Scale
Artificial solution rub fastness - 20 cycles:	UNI EN ISO 11640 / UNI EN ISO 11641	≥2 Grey Scale
Light fastness:	UNI EN ISO 105-B02 (Met.3)	≥2/3 Blue Scale

PHYSICAL CHARACTERISTICS

Tear strength:	EN ISO 3377-1	≥ 20 N
----------------	---------------	--------


FLAMMABILITY

Flammability tests:	EN 1021-1, EN 1021-2, B55852: Source 0, B55852: Source 1, Cal TB117, NFPA 260/UFAC
---------------------	---

Our leather is processed in conformity with REACH regulation

CLEANING AND MAINTENANCE

 Avoid placing leather in direct sun cloth and mild soap

 Keep the leather away from direct heat

 Dust regularly with a soft and dry cloth

SISTEM CERTIFICATIONS



OHSAS 18001-2007



ISO 14001-2015



ISO 9001-2015



IATF 16949-2016



UNI 11239



ISO 14025



ISO 14067/CO2

PRODUCT CERTIFICATIONS

marelli

Giulio Marelli Italia SpA

Via Indipendenza 159 - 20821 Meda (MB) Italia T ++39 0362 342116
info@giuliomarelli.com www.giuliomarelli.com