

marelli
HOME & CONTRACT

FABRIC
ART. FIOCCO
CAT. B-C

marelli
HOME & CONTRACT

FABRIC
SAMPLES




FIOCCO
9111




FIOCCO
9121




FIOCCO
9801




FIOCCO
9831



FIOCCO
9201




FIOCCO
9211




FIOCCO
9221




FIOCCO
9203




FIOCCO
9203




FIOCCO
9313




FIOCCO
9303




FIOCCO
9403




FIOCCO
9402



FIOCCO
9204



FIOCCO
9404




FIOCCO
9414




FIOCCO
9214




FIOCCO
9626




FIOCCO
9216




FIOCCO
9616




FIOCCO
9636




FIOCCO
9606




FIOCCO
9736




FIOCCO
9717




FIOCCO
9707




FIOCCO
9206



FIOCCO
9706




FIOCCO
9506




FIOCCO
9205




FIOCCO
9101



FIOCCO
9811



FIOCCO
9821



FIOCCO
9818



FIOCCO
9808

FABRIC
ART. **FIOCCO**
CAT. B-C

COMPOSITION:	100% POLIESTERE TREVIRA CS
WIDTH:	140 CM
WEIGHT:	620 G/ML - 440 G/M ²
ABRASION RESISTANCE:	60000 MARTINDALE CYCLES EN ISO 12947-2
PILLING:	5 EN ISO 12945-2
LIGHT FASTNESS:	6 EN ISO 105-B02 (XENOTEST)
FASTNESS TO RUBBING:	4/5 (GREY SCALE) EN ISO 105X12
FLAMMABILITY:	UNI 9174 - 8456 CLASS C1 UNI 9175 CLASS 1 IM DIN 4102 CLASS B1 NF 92501-7 CLASS M1 NF D 60013 CLASS AM18 EN 1021-1 & 2 BS CRIB 5 BS 7176 CLASS MEDIUM HAZARD EN 13773 CLASS 1 OENORM 3800-1 CLASS B1,Q1,TR1 CALIFORNIA TB117 USA NFPA 701 USA NFPA 260 IMO PART 8 UPHOLSTERY

CARE



NOTE: SLIGHT COLOUR DIFFERENCES BETWEEN ONE LOT AND ANOTHER HAVE TO BE CONSIDERED WITHIN COMMERCIAL TOLERANCE

