


kvadrat

FABRIC
ART. **TECHNICOLOUR**
CAT. **F-G**


maire

H O M E & C O N T R A C T


**FABRIC
SAMPLES**



TECHNICOLOUR
0110



TECHNICOLOUR
0120




TECHNICOLOUR
0140




TECHNICOLOUR
0150



TECHNICOLOUR
0160



TECHNICOLOUR
0190



TECHNICOLOUR
0200



TECHNICOLOUR
0210



TECHNICOLOUR
0220



TECHNICOLOUR
0230



TECHNICOLOUR
0250




TECHNICOLOUR
0260



TECHNICOLOUR
0340




TECHNICOLOUR
0360




TECHNICOLOUR
0370




TECHNICOLOUR
0520




TECHNICOLOUR
0550



TECHNICOLOUR
0620




TECHNICOLOUR
0650




TECHNICOLOUR
0690



TECHNICOLOUR
0810



TECHNICOLOUR
0820




TECHNICOLOUR
0830




TECHNICOLOUR
0860



TECHNICOLOUR
0870



TECHNICOLOUR
0890




TECHNICOLOUR
0930



TECHNICOLOUR
0940



TECHNICOLOUR
0970



TECHNICOLOUR
0990

kvadrat

FABRIC
ART. **TECHNICOLOUR**
CAT. **F-G**

COMPOSITION: 100% NEW ENGLISH WOOL, WORSTED
WIDTH: APP. 140 CM / 55 IN
WEIGHT: 430 G/LIN. M (13.87 OZ/ LY)
DURABILITY: MARTINDALE 80000 EN ISO 12947
PILLING: 4 (ISO 1-5) EN ISO 12945
LIGHTFASTNESS: 7 (ISO 1-8) ISO 105-B02
FASTNESS TO RUBBING: 5 (DRY) 5 (WET) ISO 105-X12
AIRFLOW: 301 PA S/M
SEAM SLIPPAGE: 10 MM (WARP), 8.1 MM (WEFT) EN ISO 13936-2
FIRE TESTS: NF D 60 013

US CAL. BULL. 117-2013
EN 1021-1/2
IMO FTP CODE 2010 PART 8
ASTM E84 CLASS A ADHERED
UNI 9175 1IM
BS 7176 LOW HAZARD
AS/NZS 3837 CLASS 2
BS 5852 PART 1 WITH TREATMENT
SN 198 898 5.3 WITH TREATMENT
ASTM E84 CLASS A UNADHERED
BS 5852 CRIB 5 WITH TREATMENT

CARE:



IMPORTANT CHARACTERISTICS:

WARRANTY: 10 YEARS
DUE TO THE STRUCTURE OF THE YARNS
IRREGULARITIES WILL OCCUR
COMPLIES WITH EU ECOLABEL
GREENGUARD CERTIFICATION
FOREIGN FIBERS WILL OCCUR IN LIGHT COLOURS
YARN TYPE: WORSTED
BINDING: PLAIN
SHRINKAGE (WARP/WEFT): APPROX. 0 / 0 %
COLOUR DIFFERENCE: COLOUR DIFFERENCES WILL OCCUR
ROLL LENGTH: APPROX. 25 METRES (APPROX. 27 YDS)
SUSTAINABILITY DOCUMENTATION:
EU ECOLABEL, GREENGUARD GOLD, HPD

marelli
HOME & CONTRACT

Giulio Marelli Italia SpA

Via Indipendenza 159 - 20821 Meda (MB) Italia T. ++39 0362 342116
info@giuliomarelli.com www.giuliomarelli.com

